
Specialty Furniture for the Health Care Industry

Carts, Mounts, Computer Workstations & Presentation Stations For:















Carts, Mounts, Computer Workstations & Presentation Stations

uxor is committed to providing high-quality, cost-effective carts that improve efficiency, enhance performance, and increase productivity. The versatility of Luxor carts enables them to be used for a variety of applications throughout the healthcare environment. Whether its healthcare applications, food service, housekeeping or maintenance there is a cart designed to accommodate your needs. Every cart meets the highest standards of quality, making them durable and reliable. Plastic carts will never dent, rust, scratch, or stain. This assurance of quality is backed-up by a lifetime guarantee on every product sold. Whatever your needs, Luxor will provide a quality product that will improve the comfort of your work environment and help you provide exceptional service to your "customers."









Medical Supply Transport/Storage	4, 8
Lab Carts	5
Mobile Computer Workstations	.6, 10
Hi-Tech Workstations	7







Literature Display Storage	12
TV Tables	13
Hi-Tech Workcenters	14
Versatile Workcenters	
Computer Workstations	16
Mobile Plasma Mounts	
Plasma/LCD Mounting Systems	17
Plasma Mounting Systems	
LCD Mounting Systems	

Patient Staff Education

Overhead Projector Tables	20
TV DVD/VCR Tables	21
Presentation Centers	24
Library Book Trucks	26
Whiteboards	
Easels	29



Support Departments

Food Service	30
Housekeeping/Maintenance	34
Housekeeping	
Multi-Purpose	

- Lifetime warranty-Molded shelves and legs will never scratch, dent, or rust
- Strong heavy-duty, highdensity polyethylene construction
- Integral push handle is molded into top shelf
- Quiet easy-rolling casters
- 400 lb. weight capacity
- Available with 8" big wheels and caster bumpers

HE33 Large three shelf utility cart with 4" swivel casters. Specify putty, black, or gray color. 33" high 11" clearance between shelves Wt. 42 lbs.

HE38 Large two shelf utility cart with 4" swivel casters. Specify putty, black, or gray color. 34" high 25" clearance between shelves Wt. 37 lbs.

HEB40 Large three shelf utility cart with two 8" big wheels and two 4" casters with locking brake and caster bumpers. Specify putty, black, or gray color. 42" high 15" clearance between shelves Wt. 53 lbs.

HE32 Two shelf utility cart with 4" swivel casters. Specify putty, black, or gray color. 34" high 26" clearance between shelves Wt. 24 lbs.

HE34 Three shelf utility cart with 4" swivel casters. Specify putty, black, or gray color. 34" high 12" clearance between shelves Wt. 27 lbs. (shown with optional caster bumpers)

HE42 Three shelf utility cart with 4" swivel casters. Specify putty, black, or gray color. 43" high 16¼" clearance between shelves Wt. 28 lbs.









LCB optional caster bumpers





LT342S Versatile sit down laptop/overhead or standard computer workstation. Unit includes an adjustable keyboard shelf, surge electric and 4" casters, two with locking brake. Black color only. 24"W x 18¾"D x 34"H Wt. 33 lbs. **LT34** Same as LT342S with additional middle shelf. Wt. 38 lbs.

LT45 Versatile laptop or standard computer workstation for stand-up applications. Unit includes an adjustable keyboard shelf, surge electric and 4" casters, two with locking brake. Black color only. 24"W x 18¾"D x 44¾"H Wt. 40 lbs.

LT45C Same as above with locking cabinet. Wt. 38 lbs.

CSC58KD Locking steel, mobile computer security center. Roll-out keyboard shelf adjusts from 28" to 34" in 1½" increments. Includes 3-outlet, 15' surge electric assembly U.L. and C.S.A. listed, ventilation louvers in back panel and heavy-duty, 4" ball-bearing casters, 2 with locking brake. Cabinet knocked down. Shelf installation required. 26"W x 22"D x 60½"H. Wt. 126 lbs.

CSC57 Locking wood laminate mobile computer security center. Includes roll-out keyboard shelf and 3-outlet, 15' surge electric assembly U.L. and C.S.A. listed, ventilated upper back panel with easy cabling access and heavy-duty, 3" ball-bearing casters, two with locking brake. Model comes complete with 2 attractive locking tambour doors. Unit supports up to a 19" monitor. Assembly required. Gray color only. 26"W x 22"D x 60½"H Wt. 125 lbs.

CSC61 Locking steel, heavy duty mobile computer security center with a plexiglass window and welded keyboard shelf. Includes 3-outlet, 15' surge electric assembly U.L. and C.S.A. listed, ventilation louvers in back panel, and heavy-duty, 4" ball-bearing casters, 2 with locking brake. Cabinet ships assembled. 24" W x 18"D x 61"H Wt. 125 lbs.

MSC37 All steel welded multi-media cabinet with 4 roll-out shelves. Features locking front door, two large accessory trays inside door, and room for a LCD projector, DVD, VCR, laptop, disks, tapes and power adapter. Includes 5' security cable with padlock and two keys for attaching the cabinet to a fixed object. Includes 4" casters two with locking brake. Measures 21"W x 24"D x 37"H Shelves measure 16"W x 14"D with a 5" clearance between shelves. Wt. 105 lbs.

- Integral safety push handle is molded into top shelf.
- 3-outlet, 15' surge suppressing electric, UL and CSA listed.
- Cable Track cord management system keeps cords neatly secured and free of entanglements.
- Lifetime warranty. Molded shelves and legs will never stain, scratch, dent or rust.
- Retaining lip and sure grip safety pads prevent equipment from sliding.



Computer Security Centers





out mouse shelf

- Strong heavy gauge tubular steel construction.
- Heavy-duty 1" shelves with resilient vinyl T-molding.
- Thermally fused shelves coated with mar-resistant, durable, melamine finish.
- Choice of frame color: Black or Gray powder coat finish.
- Shelves adjust in 1" increments which allows room for additional shelves
- Open shelf design provides easy access and spacious work surface
- 2" twin wheel casters standard on most models. Glides available at no extra charge, add suffix GS to model number.

TL2452 24" wide computer center with two shelves and 2" casters, two with locking brake. Measures 24" W x 19"D x 50"H Wt. 64 lbs. Specify black or gray frame.

TL1830 18" wide workstation. complete with 2" twin wheel casters, two with locking brake. Measures 18"W x 23"D x 19½"H Wt. 40 lbs. Specify black or gray frame and ebony granite shelf color.

TL2458 Same as above with four shelves. Wt. 90 lbs. Specify black or gray frame.

TL1837 18" wide 37" tall, multiple use workstation. Ideal for laptop computers and overhead projectors. Complete with 2" furniture casters, two with locking brake. Specify black or gray frame. Measures 18"W x 23"D x 37"H. Wt. 43 lbs.

Workstation Accessories

TL1837

\$351



TLCPU optional CPU

holder

TL2458

\$620

TL4 4" dual wheel caster, not recommended for high mobility Wt. 5 lbs.

\$84

e c

TLKB Pull-out keyboard shelf fits all Hi-Tech workstations. Dual adjustment for added comfort and convenient covered storage compartment. Wt. 8 lbs. **\$156**



TLCPU Optional CPU brackets for TL models. Wt. 6 lbs. **\$128**

MTC20D/N Two shelf supply cart with 4" swivel casters. Includes six dividers to separate space for various storage needs. Black color. 15¾"W x 24"D x 34½"H. Clearance between shelves 25". Assembly required. Wt. 26 lbs.

MTC25D/N Three shelf supply cart (2 flat shelves, tub top shelf) with 4" swivel casters. Includes six dividers to separate space for various storage needs. Black color. 15¾" W x 24" D x 34"H. Clearance between shelves 11" Wt. 32 lbs.

MTC30D/N Three tub shelf supply cart with 4" swivel casters. Includes six dividers to separate space for various storage needs. Black color. 15¾"W x 24"D x 34"H. Clearance between shelves 11" Wt. 31 lbs.

STC111 Three tub shelf supply cart with 4" casters, two with locking brake. 2¾" deep tubs. 24" W x 18"D x 40½" H. Clearance between shelves 12" Wt. 29 lbs. See page 38 for shelf and leg color options.

MT222 Six slanted shelf storage/book truck. See page 27 for details and storage/book truck options. Wt. 62 lbs.





\$247



MTCL Unhinged lid turns top tub into flat surface.

\$21



MTCLL Locking lid available for all MTC models.

\$38





MRCS1 - Two tub steel transport cart. Top tub is 10"D, bottom tub is 3" deep. Includes two 10" big wheels and two 4" locking casters. Light gray powder coat paint finish. measures 18"W x 16"D x 39"H.

MRCS2 - Same features as above with dimensions of 38½"W x 16"D x 39"H.

MRCW2 - Two tub steel wire transport cart. Top tub is 10"D, bottom tub is 7" deep. Includes two 10" big wheels and two 5" locking casters. Light gray powder coat paint finish. measures 36½" W x 17"D x 39"H.

MRCW1 - Same features as above with dimensions of 31"W x 17"D x 39"H.

HC68 Large six shelf supply cart with 4" swivel casters two with locking brake. 400 lb. weight capacity, includes three 11" and two 8" shelf clearances. Specify putty, black or gray color. Measures 32" W x 24"D x 68"H Wt. 92 lbs.

LE40WT Three shelf supply cart with extra wide top shelf for added storage or work space. 42"W x 18"D x 49"H Wt. 70 lbs.

- High density polyethelene shelves
- 2 aluminum bars molded into each shelf for added support
- Available in gray, black or putty
- Impervious to solvents or solutions
- Lifetime warranty

LEWS3 57" high, three shelf storage unit with leveler glides. Shelf clearance 25" Wt. 81 lbs.

LEWS4 66" high, four shelf storage unit with leveler glides. Shelf clearance 19" Wt. 93 lbs.

LEWS5 71" high, five shelf storage unit with leveler glides. Shelf clearance 15" Wt. 135 lbs.





MRCS1 MRCS2



\$562



Metal shelves chip, rust and dent. They are also susceptible to corrosion from chemicals and moisture. The LEWS5 is made of durable polyethelene and will never rust, dent or discolor.





UCC1 Personal computer workstation with pull-out keyboard and mouse shelf. Features all wood construction, 3" casters, two with locking brake, LCD monitor shelf and locking cabinet. 22¾"W x 19¾"D

x 371/4"H. Wt. 73 lbs.

LSCW60 Adjustable mobile LCD workstation. Complete with a flat panel mounting bracket, 75mm and 100mm mounting plates, printer shelf, CPU holder, and a keyboard shelf with mouse shelf. Accessories mount at any height on the 5' aluminum mast. Includes cord management, stainless steel base and 2" furniture casters, two with locking brake. Shelves are gray glossy powder coat finish. Load capacity 100 lbs. Wt. 65 lbs.

AUJ42KB Compact steel mobile computer workstation with pull-out keyboard and mouse shelf. Unit is adjustable in 2" increments from 24"-42" in height. Includes 3-outlet, 15' UL and CSA listed electric assembly and 4" casters, two with locking brake. 24"W x 18"D x 24"-42"H Wt. 54 lbs.



AUJDL Drop leaf set for AVJ42, AVJ42KB available in all 5 colors!

LAMC3037 Hydraulic adjustable multi-media cart, adjusts from 30"-37" in height. The base of the cart can be used as a printer or CPU platform. Constructed of heavy-duty laminate with a steel frame. The work surface measures 24"W x 29"D and pull-out keyboard shelf measures 27"W x 12"D. Gray color.

LAMC2936 Same as above with teak wood color and 2" casters. Adjusts from 29" - 36" in height.





- Integral safety push handle is molded into top shelf.
- 3-outlet, 15' surge suppressing electric, UL and CSA listed.
- Cable Track cord management system keeps cords neatly secured and free of entanglements.
- Lifetime warranty. Molded shelves and legs will never stain, scratch, dent or rust.



CS36 All steel computer workstation with fully adjustable pull-out keyboard shelf. Adjusts from 23" to 34" in height. Unit has bottom shelf with CPU tower holder. Comes with 4" casters, two with locking brake. Measures 321/2"W x 21"D x 35"H Wt. 53 lbs.

LCW2948 Fully adjustable mobile computer workstation with laminate shelving surrounded by steel frame. Five fun steel frame colors all selected to match a popular line of computers. Shelving available in light gray only. Measures 32½"W x 21"D x 35"H Wt. 53 lbs.

LEMFP Workstation with one adjustable pull-out keyboard shelf (191/2"W x 16"D) and fixed printer shelf. Versatile child/adult application. Complete with surge electric and 4" casters, two with locking brake. Measures 24"W x 18"D x 35"H Wt. 38 lbs. Specify putty, black, or gray color.

LEMSS Same as above without middle shelf. Wt. 32 lbs.

LEMPS Workstation with two adjustable pull-out shelves (191/2"W x 16"D). Complete with surge electric and 4" casters, two with locking brake. Measures 24"W x 18"D x 33"H Wt. 42 lbs. Specify putty, black, or gray color.

LE58 Stand-up workstation with one adjustable pull-out shelf (191/2" W x 16"D). Complete with surge electric and 2" casters, two with locking brake. Measures 24"W x 18"D x 58"H Wt. 43 lbs. Specify putty, black, or gray color.

LD3 12 pocket mobile literature holder. 15¼"W x 14½"D x 54"H Wt. 23 lbs.

LD4 8 pocket mobile literature holder. 14½"W x 12"D x 34½"H Wt. 16 lbs.

LD5 16 pocket mobile literature holder. 28¾"W x 12"D x 34½"H Wt. 22 lbs.

LD9 8 pocket partition style literature rack. 12¾"W x 4"D x 31½"H Wt. 14 lbs.

LH2H4U 8 pocket literature holder. 21"W x 49"H. Wt. 22 lbs.

LH2H3U 6 pocket literature holder. 21"W x 3634"H. Wt. 16 lbs.

LH3H 3 pocket literature holder. 30¾"W x 12¼"H. Wt. 9 lbs.

LH3H3U 9 pocket literature holder. 30"W x 37"H. Wt. 18 lbs.

LDW8 Mobile wire literature rack with black powder coat finish. Comes with eight, 1" deep and 14" wide display pockets. Complete with 1" chrome furniture casters. Measures 14"W x 12"D x 49"H. Black color. Wt. 22 lbs.

LDW24 Same as LDW8. Comes with eight 1" deep and 30" wide display pockets. Measures 30"W x 12"D x 49"H. Black color. Wt. 32 lbs.

- Available in light executive gray color
- Pockets made from durable injection molded plastic, mounted on tubular steel frame
- Standard pocket size of 12%"W x 9¼"H x 1"D
- For easy mobility most models come complete with 2" casters, two with locking brake







LD4 \$199



LD5 \$302



LD9 \$134



LH2H4U \$248



LH3H3U \$302



LDW8 \$240



LDW24 \$296





ATU56 Traditional adjustable height open shelf TV table. Measures 28"W x 24"D x 36"-54"H. Wt. 58 lbs.

- Available in Black, Green, Red, Yellow, and Royal Blue
- Roll formed shelves with powder coat paint finish
- Cable pass through holes
- ¼"retaining lip around each shelf
- 3-Outlet, 15' UL and CSA listed electric assembly with cord plug snap
- 4" ball bearing casters two with locking brake



TUW54i 32"W x 22"D x 54"H Wt. 59 lbs.

TUW48i 32"W x 22"D x 48"H Wt. 56 lbs.

FRTUW4828i Extra wide base and 8" foam rubber casters. 37"W x 27½"D x 48"H Wt. 85 lbs

TUW44i 32"W x 22"D x 44"H Wt. 54 lbs.

- Wide base for increased stability
- Roll formed shelves with baked-on powder coat paint finish
- 1" square tubular steel legs with durable black powder coat paint finish
- 3-outlet, 15' UL and CSA listed electric assembly
- 4" ball bearing casters, two with brake
- Assembly required
- Lifetime Warranty
- Ships UPS



TL6050 60" wide editing center. Complete with 2" casters, two with locking brake. Specify black or gray frame. 60"W x 30"D x 50"H. Wt. 131 lbs.

TL3635 36" wide workstation with two shelves and 2" casters, two with locking brake. Shelves available in red, blue, green, or yellow. Choose black or gray frame. Assembly required. Maximum height 35". Wt. 70 lbs.

TL4850 48" wide editing center, complete with 2" casters, two with locking brake Specify black or gray frame. 48"W x 30"D x 50"H. Wt. 108 lbs.

TL48W 48" wide wheelchair workstation. Shelf height adjusts in 1" increments. Complete with 2" casters, two with locking brake. Shelves available in red, blue, green or yellow. Specify black or gray frame. 48"W x 30"D x 35"H Wt. 66 lbs.

TL36W 36" wide wheelchair workstation with same features as above. Wt. 58 lbs.



Workstation Accessories

\$707



TL4 4" dual wheel caster, not recommended for high mobility Wt. 5 lbs.

\$84



TLKB Pull-out keyboard shelf fits all Hi-Tech workstations. Dual adjustment for added comfort and convenient covered storage compartment. Wt. 8 lbs. **\$156**



\$521

TLCPU Optional CPU brackets for TL models. Wt. 6 lbs. **\$128**



LFT71 Wide workcenter can be used for multiple applications. Table folds down to for easy, space saving storage. Constructed of heavy duty laminate with steel frame. Assembly required. Teak color with light gray frame. 72"W x 24"D x 29"H Wt. 55 lbs.

LSC50WMT Wall mounted computer workstation with adjustable height shelves. Includes LCD monitor mounting bracket, printer shelf, CPU holder and keyboard shelf with mouse shelf. Any of the accessories can be mounted at any height on the 50" aluminum mast. Gray glossy powder coat finish.

LSC25WMT Same as above with a length of 25", comes with one shelf only.

LAMC3037 Hydraulic adjustable multi-media cart, adjusts from 30"-37" in height. The base of the cart can be used as a printer or CPU platform. Constructed of heavy-duty laminate with a steel frame. The work surface measures 24"W x 29"D and pull-out keyboard shelf measures 27"W x 12"D. Gray color.

LAMC2936 Same as above with teak wood color and 2" casters. Adjusts from 29" - 36" in height.



LHDAWS Two shelf adjustable height computer workstation. Shelves adjust independently in a fluid motion using crank. They adjust from 191/4" to 291/2" in height. Perfect for use in an environment used by children and adults where frequent height adjustment is necessary. Black metal frame with teak wood colored top. 43"W x 29½"D x 19¼"-29½"H.

LACT2030 Hydraulic adjustable height computer workstation. Adjusts in height from 201/2"-301/2". Features wood laminate top and keyboard shelf with metal frame. 47"W x 27½"D x 20½"-30½"H. Wt. 63 lbs.


Wt. 81 lbs.


UCC1 Personal computer workstation with pull-out keyboard and mouse shelf. Features all wood construction, 3" casters, two with locking brake, LCD monitor shelf and locking cabinet. 22¾"W x 19¾"D x 371/4" H. Wt. 73 lbs.

LDDFS68 Mobile plasma or LCD floor stand. Perfect for presentation or digital signage environments. Locking casters allow for easy mobility and secure placement when needed. Cables can be routed through chrome poles. Base is shaped so that it can be nested with other units for easy, compact storage. Maximum load 160 lbs. To be used with LXRTM mounting assembly. 68" high.

LXRTM Universal mount for LDDFS68 and LDDFS80. Mount rotates 360° with lockable settings for portrait or landscape placement. Fits 37" to 61" displays. 35° upward tilt, 10° downward tilt.

LE40WTUD Mobile plasma or LCD table top stand. Mounts to top shelf of 40" high three shelf cart using steel plates. Cables can be run through cable pass through hole in shelf. Holds 32"-50" plasma or LCD displays. Adjustable mounting arms can be positioned anywhere along vertical chrome posts to achieve the perfect viewing height.





LXUA1330L Designed to fit displays up to 30 inches. The swingout design allows consumers to pull displays up to ten inches away from the wall and retract to less than four inches in depth. Additionally, the mount has a maximum tilt range of 20 degrees and can be swung left or right 180 degrees. VESA 75/100 mm compatible, the mount incorporates a snap-in design for easy installation.

LXUT1330L - Ideal for placing 13 to 30-inch LCD displays in locations where adjustments are necessary, the LCD Tilt Mount has a maximum tilt range of 20 degrees up or down. The VESA 75/100 mm compatible mount holds the LCD display less than four inches from the wall. this mount is a great solution for many difficult display placements.

LXUF1330L - Designed to fit LCD displays up to 30 inch. The space saving design holds the display two inches from the wall and is VESA 75/100 mm compatible. With an easy snap-in design and built-in cable management system this mount is an ideal solution for many situations.

XUT3760 - Available in models to fit 26 to 37 inch (LXUT2637) or 37 to 60 inch (LXUT3760) LCD and plasma displays, the Universal Tilt Mount is designed for mounting displays above eye-level. Holding the display three inches from the wall, the mount has a maximum tilt range of 15 degrees up or down. These mounts also feature a built-in level for easy installation and lateral shift adjustment capabilities.

LXUF3760 - With two models to select from, the Universal Flat Mount fits 26 to 37 inch (LXUF2637) and 37 to 60 inch (LXUF3760) LCD and plasma displays, and is suited for the majority of home entertainment situations. Ideal for mounting displays for eye-level viewing, the Universal Flat Mount holds displays less than one inch from the wall. Also features a lift and hook design, safety lock and lateral shift adjustment capabilities.

LUPM Universal plasma wall mount is a multi-configurable mount with a single arm, double arm articulating or near flush mount. Parts are provided. Holds all 40" - 50" plasma displays with a square or rectangular mounting hole pattern. Adjustable tilt 0°-10°. Mount rotates 240° at monitor, 160° at the wall, and 240° at the elbow joint (double arm configuration). Load capacity 130 lbs. Mounting assembly included. Wt. 42 lbs.

LUPMW Universal plasma wall flush mount holds all 40" - 50" plasma displays with a square or rectangular mounting hole pattern. Distance from wall to back of mount is 31/4". Load capacity 130 lbs. Mounting assembly included. Wt. 29 lbs. Silver powder coat paint finish.

LUPMC Universal plasma ceiling mount holds all 40" - 50" plasma displays with a square or rectangular mounting hole pattern. Mast telescopes 18" - 30" from ceiling. Mount rotates 360° and has adjustable tilt 0° - 10°. Mount can accommodate a second plasma display. Load capacity 130 lbs. Mounting assembly included. Wt. 30 lbs.

LUMA Universal mounting assembly included with all above units. Mounting rails adjust 13¼"-26¼" wide (left to right), and has mounting rail length of 20". Silver powder coat paint finish.

Multi-Configurable! Choose to mount using the single arm, double arm or near flush configuration







Multi-Configurable! Choose to mount using the single arm, double arm or near flush configuration







wall mount is a multi-configurable mount as a single arm, double arm articulating or near flush mount. Parts are provided. Holds most 10" - 21" LCD monitors. Accommodates monitors with 75 or 100mm VESA standards. Adjustable tilt -5° to + 10°. Mount rotates 240° at monitor, 160° at the wall, and 240° at the elbow joint (double arm configuration). Feed through wall plate with decorative cover. Load capacity 25 lbs. Wt. 7 lbs. Silver powder coat paint finish.

LLMSW2537 Same as LLMSW but holds most 25"-37" LCD monitors.

LLMSC Universal LCD ceiling mount holds most 10"- 21" LCD monitors. Accommodates monitors with 75 or 100mm VESA standards. Adjustable tilt -5° to + 30°. Mount rotates 360° at monitor. Mast telescopes 17"-27" from the ceiling. Includes clip based management system. Load capacity 25 lbs. Wt. 7 lbs. Silver powder coat paint finish.

LLMSC2537 Same as the LLMSC but holds most 25"-37" LCD monitors.

LSPM Universal small projector mount rotates 360°. Holds most 10″ - 21″ LCD projectors. Adjustable tilt 0° to 10°. Opens from 7″ to 14″ (left to right). Opens from 3″ to 5.75″ (top to bottom). 8 point clamping mechanisms adjust from 6.5″ - 10″ (front to back). Mast telescopes 18″ - 30″ from ceiling. Integrated flush mount plate included. Load capacity 75 lbs. Wt. 15 lbs. Black power coat paint finish.

LLMSD Universal LCD monitor table/desk mount can be attached as a clamp-on or bolt through mount. Holds most 10" - 21" LCD monitors. Accommodates monitors with 75 or 100mm VESA standards. Adjustable tilt -5° to + 30°. Mount rotates 260°. Force arm has adjustable 0° to 60° forward tilt. Load capacity 25 lbs. Wt. 9 lbs. Silver powder coat paint finish.

OHT32 Compact stand-up overhead projector table. Assembly required. Black color only. 15¾"W x 24"D x 32"H. Wt. 31 lbs.

OHS32 Same features as OHT32 with middle storage tray shelf for storing transparencies and other supplies. Assembly required. Wt. 32 lbs.

OHT50 Stand-up table accommodates the new large overhead projectors and provides a large work area for transparencies and other supplies. Assembly required. Black color only. 39¾"W x 24"D x 20"H. Wt. 35 lbs.

- 3-outlet, 15' electric assembly, UL & CSA listed
- Lifetime warranty-Molded plastic shelves and legs will never scratch, dent, or rust
- Retaining lip prevents supplies from sliding off shelves
- Integral push handle is molded into top shelf
- 4" ball bearing casters, two with locking brake
- Molded cord wrap
- Includes set of sure grip pads to keep equipment from sliding



OHT29 Sit-down, adjustable height, steel overhead projector table. Projector platform adjusts from 17½" to 27½". Complete with 3-outlet, 15' electric assembly, UL and CSA listed. Specify color, black or gray. Assembly required. 39"W x 20¼"D x 29"H Wt. 36 lbs.

OHT39 Stand-up, adjustable height, steel overhead projector table. Projector platform adjusts from 27½" to 37½". Complete with 3-outlet, 15' electric assembly, UL and CSA listed. Specify color, black or gray. Assembly required. 39"W x 20¼"D x 39"H Wt. 47 lbs.

- 3-outlet, 15' electric assembly, UL & CSA listed
- Roll formed steel shelves
- 4" casters, two with brake
- Powder coat paint finish
- Black or gray color
- Side shelves drop down for easy mobility





- 3-outlet, 15' electric assembly, UL & CSA listed
- 1" square tubular steel legs and roll formed shelves with durable black powder coat paint finish
- Cabling hole in top and middle shelves for easy pass through
- ½" retaining lip and sure grip safety pads prevent equipment from sliding
- 4" ball bearing casters, two with locking brake
- Cabinet models have reinforced doors with full piano hinges and set of two keys
- Roll formed shelves with powder coat paint finish







AUJ42 Adjustable height table (adjusts in 2" increments from 24" to 42" high). Available in black, green, red, yellow or royal blue. 24"W x 18"D x 24"-42"H Wt. 41 lbs.

AUJ42C Same as above with a reinforced locking door. Available in black only. Wt. 55 lbs.



AUJ42CKD Adjustable height table with locking cabinet. Features powder coat paint finish, retaining lip around each shelf, and 4" casters, two with locking brake. Ships knocked down. Height adjusts in 2" increments from 30"-42". 24" W x 18" D x 30"-42"H. Wt. 62

AUJ42KD Same as above without locking cabinet. Wt. 44 lbs.

TVW44C Cabinet model 32"W x 27"D x 44"H Wt. 84

TUW48 32"W x 27"D x 48"H Wt. 55 lbs.

TUW48LUC Same as above with LVC DVD/VCR mount Wt. 64 lbs.

TV DVD/VCR Tables

TVP44 Three shelf table. Holds up to 37" TV. Pyramid shape ensures greater stability. 371/4" W x 251/4" D x 44"H Wt. 121 lbs.

TUP44C Same as above with locking cabinet. Wt. 165 lbs.

TVP44LT Heavy-duty three shelf table. Holds up to 40" TV. 39%"W x 27%"D x 44"H Wt. 126 lbs.

TUP44LTC Same as above with locking cabinet Wt. 170 lbs.

- 3-outlet, 15' electric assembly, UL & CSA listed
- Designed to move heavy equipment easily
- 1½"Retaining lip prevents supplies from sliding off shelves
- Safety push handle
- 8" pneumatic tires, 2 fixed, 2 swivel with brake
- Slots in top shelf for optional safety
- Non-skid safety pads
- Durable baked-on powder coat paint finish
- Lifetime warranty





- Top shelf reinforced with one aluminum bar.
- Integral safety push handle is molded into top shelf for a sturdy sure grip.
- Recessed door handle on locking cabinet models.
- Full piano door hinge for maximum strength on cabinet models.
- Lifetime warranty. Molded plastic shelves and legs won't stain, scratch, dent or rust.
- 1/4" retaining lip and sure grip safety pads prevent equipment from sliding.
- "Cable track" cord management system keeps cords neatly secured and free of entanglements.
- Cabling hole in top shelf with cord guide
- 4"ball bearing casters, two with locking
- 3 outlet, 15' surge suppressing electric assembly, UL and CSA listed.
- Electric assembly in handle and cabinet designs are patented.

- 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed
- Convenient cord wrap on back panel. Plug snap keeps plug secured to wrapped cord
- Recessed door handles
- Ventilation louvers in back panels
- 4" casters, two with locking brake
- Integral safety push handle is molded into shelf
- Retaining lip on top shelf
- Cabinet doors and panels are heavy gauge steel with baked-on powder coat paint finish. Cabinet design is patented
- Reinforced locking doors have full piano hinges. Includes set of 2 keys
- Provisions for cable pass through between shelves and cable hole in top shelf
- Assembly required







LEF34C 34" high locking video console with 4" casters, two with locking brake and 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed. 24"W x 18"D x 34"H Wt. 66 lbs.

LEF40C 44" high locking video console with 4" casters, two with locking brake and 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed. 32"W x 24"D x 44½"H Wt. 111 lbs. Shown with optional LECS metal shelf. Order separately. Wt. 18 lbs.

LEF42C 42" high locking video console with 4" casters, two with locking brake and 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed. 24"W x 18"D x 34"H Wt. 77 lbs.



LT45PC Multi-media presentation cart with locking steel cabinet. Includes pull-out shelf and plenty of room for an overhead or LCD projector and laptop computer. Locking cabinet is perfect for storing your equipment when not in use. Includes 3-outlet surge suppressing electric assembly and 4" casters, two with locking brake. 24"W x 18"D x 41½"H. 37 lbs.

PC44KBC Stand-up multimedia presentation center. Features locking steel cabinet, middle shelf for supplies or storage, 3-outlet surge suppressing electric assembly and integral safety push handle. Molded shelves and legs will not stain, scratch, dent or rust. 32"W x 24"D x 44"H. 59 lbs.



PC42KB Stand-up or sit-down multi-media presentation center. Features dual keyboard shelves, CPU holder, 3-outlet surge suppressing electric assembly and integral safety push handle. Molded shelves and legs will not stain, scratch, dent or rust. 32"W x 24"D x 42"H. 54 lbs.

PC51KB Stand-up multi-media presentation center. Perfect for laptop or CPU use. Features dual keyboard shelves, large bottom shelf for supplies or CPU, 3-outlet surge suppressing electric assembly and integral safety push handle. Molded shelves and legs will not stain, scratch, dent or rust. 32"W x 24"D x 51"H. 59 lbs.



LE42PC Multi-media presentation workstation with four fixed shelves and two pull-out keyboard shelves that can adjust in height to any position on the legs. Includes molded cord wrap, built in handle, 3-outlet surge suppressing electric assembly and 4" casters, two with locking brake. Available in putty, black or gray. 24" W x 18"D x 41½"H. 37 lbs.

LT34PC Presentation cart with locking steel cabinet and pull-out shelf. Easy to transport and store with built in handle and removable side shelf. 3-outlet surge suppressing electric assembly mounts inside cabinet. Includes 4" casters two with locking brake. 18"W x 24"D x 44"H. 59 lbs.

LMC Multi-media cart with locking cabinet and drawer. Features 15%" W x 10¾" pull-out laptop shelf and 10" W x 12" D shelf that flips up from side. All metal construction. Comes with 3" casters, two with locking brake. Specify gray, black or brown. 19¼" W x 18¼" D x 35¼" H. Wt. 69 lbs.

LMC2 Multi-media cart with locking cabinet and drawer. Features 15%"W x 10¾"D pullout laptop shelf and two 10"W x 12"D shelves that flip up from both sides. Has adjustable middle shelf inside cabinet. All metal construction. Comes with 3" casters, two with locking brake.


- Heavy gauge steel construction.
- Quiet and easy rolling anti-shimmy 4" casters.
- 8" big wheel models also available.
- Most models ship knocked-down for economical, damage free shipping.
- 11" shelf clearance, excluding MT2.
- Double slanted shelves provide a 6½" deep shelf on each side.
- Baked-on powder coat paint finish.

These library book trucks and video tape storage trucks offer a wide range of color and style. Colorize your environment by choosing the color cart and accent stripe that best suits your particular style.

Book Truck Colors

Putty Royal Burgundy Forest Camel Silver Black (BY) Green (CM) (SV) (BK)

Accent Stripe Colors





The following examples use black for the book truck color, red for the model number and blue for the accent stripe color.

BKMT222W



BYMT122BY



MT11 28¾" W x 17" D x 30¾" H • Two flat shelf utility truck. • 45 Lbs. \$440

MT12 28¾"W x 17"D x 30¾"H • Two 6%6" slanted shelves and one flat shelf truck. • 45 Lbs. \$454

MT22 28¾"W x 17"D x 30¾"H • Four 6%6" slanted shelves truck. • 45 Lbs. \$464

MT111 28¾"W x 17"D x 41"H • Three flat shelf utility truck. • 62 Lbs. \$493

MT112 28¾"W x 17"D x 41"H • Two 6¾6" deep slanted and two flat shelf truck. • 62 Lbs. \$505

MT122 28¾"W x 17"D x 41"H • Four 6%6" deep slanted and one flat shelf truck. • 62 Lbs. \$558

MT222 28¾"W x 17"D x 41"H • Six 6%6" deep slanted truck. • 62 Lbs. \$579



MT2 28%"W x 12¾"D x 27¼"H • Two slanted shelves. Provides 9½" deep shelves. Putty color only. • 33 Lbs. \$238
MT3 17½"W x 13"D x 43½"H • Big wheel book caddie. Three single slanted shelves provide 7½" deep shelves. Putty only. • 33 Lbs. \$459

L240 Adjustable magnetic white-board with an aluminum frame. Easy knob adjustment allows you to adjust the unit from 40"H - 57"H. Can be used as a tabletop or free standing floor unit. Comes complete with a handle for easy transport and a 2" tray for marker and eraser storage. The whiteboard measures 26"W x 36"H x 1"D. The aluminum frame measures 27"W x 40 - 57"H x 29"D. Assembly required. Wt. 22 lbs.

L220 Adjustable magnetic whiteboard with an aluminum frame. Easy flip locks allow you to adjust the unit from 31"H - 47"H. Can be used as a tabletop or 31" free standing floor unit. Comes complete with a handle for easy transport. The whiteboard is bright white porcelain over metal and measures 16"W x 22"H x 1"D. The aluminum frame measures 21"W x 31 - 47"H x 21"D. Assembly required. Wt. 11 lbs.

L340 - Large double sided magnetic whiteboard with a heavy duty aluminum frame. The reversing mechanism is designed to make flipping to the other side a cinch. Easy adjusting knob locks the whiteboard into place once you have it at the required position. Comes complete with 2" casters, two with locking brake. The whiteboard measures 46"W x 34"H

x 1"D. The aluminum frame measures 47"W x 73"H x 24"D. Assembly required. Wt. 38 lbs.

L270 Double sided magnetic whiteboard with an aluminum frame. Knob adjustment locks the whiteboard into place once you have it at the required position. Comes complete with 2" casters, two with locking brake. The whiteboard measures 22"W x 34"H x 1"D. The aluminum frame measures 27"W x 57"H x 20"D. Assembly required.









L250 Portable aluminum lecturer's easle with fold out adjustable chart holder and quick release easel pad clamps. Push button leg release allows for easy height adjustment and compact storage size. 68"H Wt. 7 lbs. Wt. 30 lbs.

L100 Hardwood poster easel constructed of solid mahogany with a satin finish. Light wt. yet sturdy. 65"H. Assembly required. Wt. 5 lbs.

L150 Heavy duty hardwood poster easel. Solid mahogany A-frame construction with a satin finish. Adjustable chart holder. Folds flat for storage. 63"H. Assembly required. Wt. 11 lbs.

L300 Lecturer's pad/presentation easel, features aluminum tubular frame, a white board surface which can be used with dry erase markers or for a slide presentation. Includes 24" marker tray and will accommodate easel pad. Push button leg release allows for easy height adjustment and compact storage size. Floor or table top application. 72"H. Wt. 16 lbs.





Before

The thin legs on this table make it unstable and difficult to move. The open shelves give a messy appearance and allow items to be easily bumped off.



IBC \$249

Afte

The LEW40C is sturdy with large 4" casters that allow it to be easily moved. The large cabinet storage area keeps items secure and out of view and there is a retaining lip around the shelves that keep items from being knocked off.



Accessories for

IBCFA (Fully Accessorized)

\$470

IBC, only:
• IEP side and back panels

LEW40C 38" high, three shelf extra wide table or workcenter with vented steel locking cabinet. Ideal for use with heavy equipment. 300 lb. capacity. Specify putty, gray or black unit. Wt. 140 lbs. 48"W x 24"D x 40"H.

IBC4 Open 4 shelf serving/bussing cart with plastic polypropylene shelves and brushed aluminum legs. Comes standard with 3" casters. Gray color. Wt. 61 lbs. 40"W x 19¾"D x 47¾"H.

IBC5 Same as above with 5 shelves. Wt. 61 lbs. 61½"H.

IBC Serving/bussing cart with plastic polypropylene shelves and aluminum legs. A wide range of accessories can be attached to this cart to meet almost any food service need. Comes with 3" casters, two with locking brake.

IBCFA IBC cart with all accessories show at right.





Before

Very little shelf space and no storage area make this table a poor choice for a coffee service station. Also, its lack of mobility makes it difficult to clean around or move to different locations.



The SCB30C has three shelves for plenty of storage area. Its locking cabinet is perfect for keeping items secure and out of view.



scb30c Three shelf serving cart with locking cabinet and side shelf. Includes 3-outlet, 15' U.L. and C.S.A. listed electric assembly, 8" big wheels, and caster bumpers. Specify putty, black, or gray with walnut cabinet. 24"W x 18"D x 34"H. Clearance between shelves 6½" and 17¾". Assembly required. Wt. 63 lbs.

SCB30 Open shelf serving cart with side shelf. Includes 3-outlet, 15' U.L. and C.S.A. listed electric assembly, 8" big wheels and caster bumpers. Specify putty, black, or gray color. 24"W x 18"D x 34"H. Clearance between shelves 12". Assembly required. Wt. 41 lbs.

SCB32 Large capacity three shelf serving cart. Includes 3-outlet, 15' U.L. and C.S.A. listed electric assembly, 8" big wheels and caster bumpers. Specify putty, black, or gray color. 32"W x 24"D x 33"H. Clearance between shelves 11". Assembly required. Wt. 55 lbs.

SC14 Open shelf serving/bussing cart with plastic polypropylene shelves and aluminum legs. Comes standard with 3" casters. Gray color. 40"W x 19¾"D x 34"H. Clearance between shelves 11". Assembly required. Wt. 42 lbs.





BC40 Large four shelf banquet cart with 4" swivel casters. Specify putty, black, or gray color. 32"W x 24"D x 39"H. Clearance between shelves 8". Assembly required. Wt. 59 lbs.

BCB40 Same as BC40 except with 8" big wheels and caster bumpers. Wt. 65 lbs.

BC50 Five shelf banquet cart with 4" swivel casters. Specify putty, black, or gray color. 24"W x 18"D x 39½"H. Clearance between shelves 6¼". Assembly required. Wt. 49 lbs.

BCB50 Same as BC50 except with 8" big wheels and caster bumpers. Wt. 54 lbs.

BC45 Four shelf banquet cart with 4" swivel casters, two with locking brake. Specify putty, black, or gray color. 18"W x 24"D x 39"H. Clearance between shelves 8¾". Assembly required. Wt. 36 lbs.

BCB45 Same as BC45 except with 8" big wheels and caster bumpers. Wt. 45 lbs.

BC55 Large five shelf banquet serving cart with 4" swivel casters, two with locking brake. Specify putty, black, or gray color. 24"W x 32"D x 49"H. Clearance between shelves 8". Assembly required. Wt. 68 lbs.

BCB55 Same as BC55 except with 8" big wheels and caster bumpers. Wt. 77 lbs.

BC60 Large six shelf banquet serving cart with 4" swivel casters. Specify putty, black, or gray color. 32"W x 24"D x 60"H. Clearance between shelves 8". Assembly required. Wt. 92 lbs.

BCB60 Same as BC60 except with 8" big wheels and caster bumpers. Wt. 100 lbs.









Available with optonal 8" big wheels and caster bumpers







RCB32 Two shelf bussing cart with 8" big wheels, caster bumpers, and swivel casters. Specify putty, black, or gray color. 24" W x 18" D x 34" H. Clearance between shelves 26". Assembly required. Wt. 26 lbs.

RC32 Same as above without 8" big wheels and caster bumpers. Wt. 21 lbs.

RC34 Three shelf bussing cart with 4" swivel casters. Specify putty, black, or gray color. 24"W x 18"D x 34"H. Clearance between shelves 12". Assembly required. Wt. 27 lbs.

RCB34 Same as above with 8" big wheels and caster bumpers. Wt. 32 lbs.

RC38 Large two shelf bussing cart with 4" swivel casters. Specify putty, black, or gray color. 32"W x 24"D x 34"H. Clearance between shelves 25". Assembly required. Wt. 35 lbs.

RCB38 Same as above with 8" big wheels and caster bumpers. Wt. 40 lbs.

RCB40 Large three shelf bussing cart with 8" big wheels, caster bumpers and 4" swivel casters. Specify putty, black, or gray color. 32"W x 24"D x 42"H. Clearance between shelves 15".

Assembly required. Wt. 48 lbs.

RC40 Same as above without 8" big wheels and caster bumpers. Wt. 43 lbs.



MTC30 Three shelf general purpose utility cart with tub middle & top shelves, and flat bottom shelf. Includes 4" casters, two with locking brake. 15³/₄"W x 24"D x 33"H. Black color. Wt. 32 lbs

MTC20 Same as above without middle shelf. 15¾"W x 24"D x 34"H Wt. 27 lbs.

MTC30DLL/N Three shelf general purpose utility cart with tub middle & top shelves, and flat bottom shelf. Includes 6 removable tray dividers which can be arranged in numerous positions for increased flexibility, hinged locking plastic lid, and 4" casters, two with locking brake. 24"W x 15¾"D x 33"H. Black color. Wt. 32 lbs.

ATC332 Three shelf compact adjustable utility cart constructed of blow-molded plastic with metal frame. 22"W x 15½"D x 32"H. Complete with 3" heavy duty casters, two with locking brake. Red color only. Wt. 20 lbs.





MTCLL locking lid and MTCL non-locking lid available for all MTC carts on this page.













JCB40 \$494 JCB30 Heavy-duty, three shelf janitor cart with black nylon trash bag. Top two shelves have tray for supplies. Complete with 8" big wheels and caster bumpers. Mop bucket and cleaning supplies not included. 32"W x 24"D x 48"H. Black color. Clearance between shelves 17½". Assembly required. Wt. 59 lbs.

JCB40 Heavy-duty, four shelf janitor cart with black nylon trash bag. Top two shelves have space for supplies. Complete with 8" big wheels and caster bumpers. Mop bucket and cleaning supplies not included. 32"W x 24"D x 50"H. Black color. Clearance between shelves 8", 17", and 11½". Assembly required. Wt. 60 lbs.

JCB8 Heavy-duty three shelf janitor cart with an orange nylon trash bag. Top two shelves have a tray for supplies. Comes complete with 8" big wheels. 36" W x 17" D x 38" H. Clearance between bottom to middle shelf 13", middle to top shelf 16". Mop bucket and cleaning supplies not included. Gray color. Assembly required. Wt. 31 lbs.

MSB42 Three shelf housekeeping cart with black nylon trash bag. Complete with 8" big wheels and caster bumpers. Black color. 32"W x 24"D x 42"H. Clearance between shelves 11" and 19". Assembly required. Wt. 59 lbs.

HL13 Laundry cart folds for easy storage. Comes complete with an orange nylon laundry bag and 3" casters. Blue color. 25"W x 25"D x 36½"H. Assembly required. Wt. 29 lbs.






HL55 Large five shelf supply cart with 4" swivel casters, two with locking brake. Specify putty, black, or gray color. 24"W x 32"D x 49"H. Clearance between shelves 8". Assembly required. Wt. 68 lbs.

HL33 Four shelf banquet cart with 4" swivel casters, two with locking brake. Specify putty, black, or gray color. 18"W x 24"D x 36"H. Clearance between shelves 8¾". Assembly required. Wt. 36 lbs.

BC60 Large six shelf supply cart with 4" swivel casters. 400 lb. weight capacity, 8" clearance between shelves. Specify black, gray, or putty. Measures 32"W x 24"D x 60"H Wt. 92 lbs.







LIWPS Open wire packing station. Galvanized work surface combines with open wire shelves to give you an extremely strong and durable packing bench. Work surface is strong enough to support 500 lbs. Tough powdercoat finish wire shelves will not trap dirt and provide good air circulation and ventilation to supplies. Lower shelf holds up to 650 lbs. - ideal for storing heavy cartons or supplies. Two upper 60"W x 14"D adjustable

shelves are included and support up to 150 lbs. each. Top shelf includes six 12½" adjustable dividers, middle shelf has a backstop to keep items secure. 60"W x 30"D x 34"H overall. Wt. 125 lbs.



Optional Accessories:

LIWBR Bin rail
LIWUB Utility basket
LIWRE Reel holder
LIWCD carton divider
LIWSS Scale stand
LIWRO Roll holder

TC (tub carts) and STC (small tub carts) are durable, versatile and can be used in a wide variety of applications throughout the health care environment. Choose from 2, 3 or 4 shelf models in any combination of tub or flat shelves. Shelves are available in 6 colors, legs are available in 9 colors (see below).



TC carts shelves are 32"W x 24"D and are reinforced with two aluminum bars for added strength.



Aluminum Bars



STC carts shelves are 24"W x 18"D and are reinforced with one aluminum bar (top shelf only) for added strength.



Aluminum Bar



Key For Shelf Colors

Key For Leg Colors RED (RD)

ORANGE (OR)

YELLOW (YW)

GREEN (GN)

BLUE (BU)

PURPLE (PR)

PUTTY (PY)

GRAY (GY)

BLACK (NONE)

How To Order

Step 1

Choose your shelf/tub color.
The 2 letter color designation will be the beginning of your custom model number.

Step 2

Choose your shelf size. TC shelves/tubs are 32"W x 24"D, STC shelves are 24"W x 18"D.

Step 3

configuration and specify shelves/tubs:
(1) indicates a tub shelf
(2) indicates a flat

Determine vour

Step 4

Choose your leg color. This 2 letter designation will be the end of your custom model number.

Example:

Green shelves: GN

Small shelf/tub size (24"W x 18"D) **GNSTC**

Top flat shelf & bottom tub: **GNSTC21**

Blue legs: **GNSTC21BU**

Note: Green, Red and Blue shelves are available with tub bottom shelf only, no flat bottom shelves.



GNSTC111GN Three tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 40½"H. 2¾" deep tubs. Shelf clearance 12". Green shelves with Green legs. Wt. 29 lbs.

BUSTC11PR Three tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 40\%"H. 2\%" deep tubs. Shelf clearance 12". Blue shelves with purple legs. Wt. 29 lbs.

RDSTC221BU Top and middle flat shelves and bottom tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 35½"H. 2¾" deep tubs. Shelf clearance 12". Red shelves with blue legs. Wt. 26lbs.

GNSTC211PY - Top and flat shelf, bottom tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 35½"H. 2¾" deep tubs. Shelf clearance 12". Green shelves with putty legs. Wt. 26lbs.

BUSTC121YW - Top and bottom, tub shelf, and middle flat shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 38"H, 2¾" deep tubs. Shelf clearance 12". Blue shelves with yellow legs. Wt. 28 lbs.

RDSTC11RD - Three tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 40½"H. 2¾" deep tubs. Shelf clearance 12". Red shelves with Red legs. Wt. 29 lbs.







TC122 Top tub shelf, middle and bottom flat shelf utility cart with 4" casters, two with locking brake. 32"W x 24"D x 35½"H, 2¾" deep tub. Shelf clearance 11". Specify color (see page 38). Wt. 52 lbs.

TC121 Top and bottom tub shelf, middle flat shelf utility cart with 4" casters, two with locking brake. 32"W x 24"D x 37"H, 2¾" deep tub. Shelf clearance 11". Specify color (see page 38). Wt. 61 lbs.

TC1112 Top three shelves are tub shelves, and bottom flat shelf utility cart with 4" casters, two with locking brake. 32"W x 24"D x 43"H, 2¾" deep tub. Shelf clearance 8". color (see page 38). Wt. 76 lbs.

TC212 Top and bottom flat shelves, middle tub shelf utility cart with 4" casters, two with locking brake. 32" W x 24" D x 35½" H, 2¾" deep tub. Shelf clearance 11". Specify color (see page 38). Wt. 51 lbs.

TC11 Two tub shelf utility cart with 4" casters, two with locking brake. 32"W x 24"D x 37½"H. 2¾" deep tubs. Shelf clearance 25". Specify color (see page 38). Wt. 41 lbs.

TC112 Top and middle tub shelf and bottom flat shelf utility cart with 4" casters, two with locking brake and 32"W x 24"D x 37"H, 234" deep tubs. Shelf clearance 11". Specify color (see page 38). Wt. 55 lbs.



FR8 Heavy duty foam rubber casters. Add suffix FR to model number. Wt. 29 lbs. \$169



P8 Air filled non-marking pneumatic tires. Add suffix P8 to model number. Wt. 29 Lbs. **\$188**



SP8 Solid rubber high profile semi-pneumatic tires. Add suffix SP8 to model number. Wt. 30 lbs. **\$225**















LPCSA 3-outlet electric assembly with 15' cord, UL and CSA listed available for all TC and STC carts.







Shown with optional 8" big wheel assembly. Available for all TC and STC carts add suffix BW to model number.







STC121 Top and bottom tub shelves, and middle flat shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 38"H. 2¾" deep tubs. Shelf clearance 12". Specify color (see page 38). Wt. 28 lbs.

STC21 Flat top shelf, bottom tub shelf utility cart with 4" casters, two with locking brake. 24" W x 18" D x 36" H. 2¾" deep tubs. Shelf clearance 26". Specify color (see page 38). Wt. 24 lbs.

STC2111 Flat top shelf, three bottom tub shelves utility cart with 4" casters, two with locking brake. 24" W x 18" D x 44½" H. 2¾" deep tubs. Shelf clearance 8¾". Specify color (see page 38). Wt. 24 lbs.

STC111 Three tub shelf utility cart with 4" casters, two with locking brake. 24" W x 18" D x 40½" H. 2¾" deep tubs. Shelf clearance 12". Specify color (see page 38). Wt. 29 lbs.

STC221 Top and middle flat shelves and bottom tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 35½"H. 2¾" deep tubs. Shelf clearance 12". Specify color (see page 38). Wt. 26 lbs.

STC211 Top flat shelf and middle and bottom tub shelves utility cart with 4" casters, two with locking brake. 24"W x 18"D x 38"H. 2¾" deep tubs. Shelf clearance 12". Specify color (see page 38). Wt. 28 lbs.



Index

A	HE334	LDW2412
	HE344	LE40WT9
ATC33234	HE384	LE40WTUD16
ATV5613	HE424	LE42PC25
AVJ4221	HEB404	LE42WC22
AVJ42C21	HL1335	LE5811
AVJ42CKD21	HL3336	LEF34C23
AVJ42KB10		LEF40C23
AVJ42KD21	1	LEF42C23
AVJCPU10	-	LEMFP11
AVJDL10, 21	IBC30	LEMPS11
A400L	IBC430	LEMSS11
В	IBC530	
	IBCFA30	LEW40C30
BC4032	IEP30	LEWS49
BC4532	IPTS30	LEWS59
BC5032	ISB30	LFT7115
BC5532	ISD30	LH2H3V12
BC6032, 36	ITB30	LH2H4V12
BCB4032	116	LH3H12
BCB4532	J	LH3H3V12
BCB5032	J	LHDAWS16
BCB5532	JCB835	LIWBR 37
BCB6032	JCB3035	LIWCD37
BUSTC111PR39	JCB4035	LIWPS37
		LIWRE37
BUSTC121YW39	L	LIWRO37
•	_	LIWSS 37
C	L10029	LIWUB37
C5i41	L15029	LLMSC19
CS3611	L20029	LLMSC253719
CSC576	L22028	LLMSD19
CSC58KD6	L24028	LLMSW19
CSC616	L25029	LLMSW253719
030010	L27028	
F	L30029	LMC25
Г	L34028	LMC225
FR840	LACT203016	LPCSA40
FRTVW4828i13	LAMC293610, 15	LSC25WMT15
	LAMC3037 10, 15	LSC50WMT15
G	LCW294811	LSCW6010
G	LD312	LSPM19
GNSTC111GN39	LD312 LD412	LT346
GNSTC211PY39		LT34PC25
	LD512	LT456
Н	LD912	LT45C6
11000	LDDFS6816	LT45PC 24
HC689	LDW812	LT342S6
HE324		

LUMA18	P
LUPM18	•
LUPMC18	P840
LUPMW18	PC42KB24
LXRTM16	PC44KBC24
LXUA1330L17	PC51KB24
LXUF1330L17	
LXUF263717	R
LXUF376017	
LXUT1330L17	RC3233
LXUT263717	RC3433
LXUT376017	RC3833
LXG1070017	RC4033
M	RCB3233
•••	RCB3433
MRCS19	RCB3833
MRCS29	RCB4033
MRCW15, 9	RDSTC111RD39
MRCW25, 9	RDSTC221BU39
MSB4235	
MSC376	S
MT227	SC1431
MT327	SCB3031
MT1126, 27	SCB30C31
MT1227	SCB30C31
MT2227	SP840
MT11127	SST2L5
MT11227	SST2S5
MT12226, 27	STC2141
MT2228, 26, 27	STC1118, 41
MTC2034	STC12141
MTC20D/N8	STC21141
MTC25D/N8	STC22141
MTC30 34	STC211141
MTC30DLL/N34	310211141
MTC30D/N8	T (
MTCL 8, 34	
MTCLL8, 34	TC1140
_	TC11240
0	TC12140
OLIS20	TC12240
OHS3220	TC21240
OHT2920	TC111240
OHT3220	TL47, 14
OHT5020	TL16PS7
OHT5020	TL36W14
	TL48W14

TL1830
TL1837
TL2452
TL2458
TL363514
TL485014
TL605014
TLCPU7, 14
TLKB7, 14
TLMS
TLPC7, 14
TVP4422
TVP44C22
TVP44LT2
TVP44LTC22
TVW44C2
TVW44i15
TVW482
TVW48i13
TVW48LVC2
TVW54i1





