

# **CL55 Pusher Feed Head**





9 Dicing 4 French Fry Kits





### **SALES FEATURES**

CL55 Pusher Feed Head is ideal for slicing, ripple cutting, grating, dicing, shredding and making french fries from all types of fruit and vegetables, as well as grating cheese.

### TECHNICAL FEATURES

CL55 Pusher Feed Head - Single phase. Power - 2.5 HP. 1 speed 425 rpm. Magnetic safety system, motor brake and leveractivated auto restart. This metal Vegetable Preparation Machine has a lateral ejection facility and is equipped with Two hoppers in one head - one large full moon hopper, diameter 6 7/8", for cutting large products and one round hopper, diameter 2 5/16", for cutting long vegetables and delicate cutting. Stainless steel motor base, chute, continuous feed lead and mobile stand. Suitable for 1000 covers per service. Included: 28064 (3mm) 1/8" slicing disc and 28058 (3mm) 1/8" grating disc and 2 disc racks.. Large choice of 52 discs available.

Select your options at the back page, F part.

C	ECHNICAL DATA
Output power	2.5 HP
Electrical data	Single-phase - 13.5 Amp plug included
Speed	425 rpm
Dimensions (H×L×W)	with stand 52 3/16" $\times$ 15 9/16" $\times$ 20"
Rate of recyclability	95%
Net weight	93 lbs
Nema #	5-15P
Reference	CL 55 Pusher Series E 120V/601

## Number of meals 100 to 1000 per service Theoretical output 2645 lbs per hour\*

### **PRODUCT FEATURES / BENEFITS**

### **MOTOR BASE**

- Industrial induction motor for intensive use.
- Power 2.5 HP
- Stainless steel motor base and shaft.
- Magnetic safety system with motor brake.
- 1 speed 425 rpm

### **VEGETABLE PREPARATION FUNCTION**

- Vegetable Preparation Machine equipped with Two hoppers in one head - one large full moon hopper for cutting large products (will accommodate whole heads of cabbage and lettuce) and one round hopper for cutting long vegetables and delicate cutting (i.e. tomatoes, carrots).
- Removable continuous feed lead.
- Reversible discharge plate for processing delicate produce.
- Lateral ejection facility for space-saving and greater user comfort
- Stainless steel mobile stand equipped with 2 wheels and fitted with brakes for easy movement.
- Lever-activated auto restart (by the pusher)
- Lever-assisted facility requires less effort from the operator and increases output.
- Vertical pusher pressure exerted on vegetables to ensure uniform cuts.
- Large choice of 52 discs available.
- Included: 28064 (3mm) 1/8" slicing disc and 28058 (3mm) 1/8" grating disc and 2 disc racks.
- Stainless steel blades on slicing discs, blades on Julienne discs and grating discs are removable.

### MASHED POTATO FUNCTION

option : Mashed potato kit

### **STANDARDS**

ETL electrical and sanitation Listed/cETL (Canada)



Update: November 2014

\* Results may differ depending on the type of the hopper used, the choice of the cut and the setup of the workstation.

www.robotcoupeusa.com Robot Coupe USA, Inc.

264 South Perkins - Ridgeland, MS 39157 PH: 601-898-8411 - Toll free: 800-824-1646 - Fax: 601-898-9134 info@robotcoupeusa.com

Specification sheet



# **CL55 Pusher Feed Head**

# Automatic Feed Head: ref 28170 4 tubes Feed Head: ref 28161 Straight and bias cut hole hopper: ref 28155. for long vegetables and bias cuts Dice Cleaning Kit: ref 39881 cleaning tool for dicing grids 5 mm (3/16"), 8 mm (5/16") and 10 mm (3/8"). Mashed Potato Kit 3 mm: ref 28207

<ul> <li>Mashed Potato Kit 3 r</li> </ul>		ref 2820/
<ul> <li>Wall-mounted disc ha</li> </ul>	older for 8 large discs:	ref 107 812

	SUGGESTED PACKS OF DISCS
3 disc package	5mm (3/16") coarse grating, 6mm (1/4" $\times$ 1/4") julienne and 5mm (3/16") slicing discs.
5 disc package	5mm (3/16'') coarse grating; 6mm (1/4''x1/4'') julienne; 5mm (3/16''), 10mm (3/8'') slicing discs; 10x10mm (3/8'' x 3/8'') dicing grid
16 disc package	Slicers - 0.8mm (1/32"), 2mm (5/64") & 5mm (3/16". 2 graters - 2mm (5/64") & 5mm (3/16"); 3 dicing - 5x5x5mm (3/16"), 10x10x10mm (3/8") & 14x14x5mm (9/16"x9/16"x3/16"). 2 Julienne sticks - 2.5 x 2.5mm (1/10"x1/10") & 2 x 10mm (5/64"x3/8"). Dice Cleaning Kit and 2 disc holders.

### OPTIONAL DISCS



SLICING	
0.6 mm	28166
0.8 mm	28069
1 mm (1/32")	28062
2 mm (5/64")	28063
3 mm (1/8")	28064
4 mm (5/32")	28004
5 mm (3/16")	28065
6 mm (1/4")	28196
8 mm (5/16")	28066
10 mm (3/8")	28067
14 mm (9/16")	28068
20 mm (25/32")	28132
25 mm (1")	28133
cooked potatoes 4 mm (5/32")	27244
cooked potatoes 6 mm (1/4")	27245



	RIPPLE CUTTING	
2 mm (5/64")		27068
3 mm (1/8")		27069
5 mm (3/16")		27070



GRATERS	
1.5 mm (1/16")	28056
2 mm (5/64")	28057
3 mm (1/8")	28058
4 mm (5/32")	28136
5 mm (3/16")	28163
7 mm (9/32")	28164
9 mm (11/32")	28165
Röstis potatoes	27164
Raw potatoes	27219
Fine Pulping disc	28055
Hard Cheese grate	28061



JULIENNE	
1x8 mm tagliatelle (1/32"x5/16")	28172
1x26 onion/cabbage (1/32"x1 1/4")	28153
2×2 mm (5/64" x 5/64")	28051
2×4 mm (5/64" × 5/32")	27072
2×6 mm (5/64" × 1/4")	27066
2×8 mm (5/64" × 5/16")	27067
2x10 tagliatelle (5/64"x3/8")	28173
2.5×2.5 mm (1/10" × 1/10")	28195
3×3 mm (1/8" × 1/8")	28101
4×4 mm (5/32" × 5/32")	28052
6×6 mm (1/4" × 1/4")	28053
8×8 mm (5/16" × 5/16")	28054



DICING EQUIPMENT	
5×5 mm (3/16")	28110
8×8 mm (5/16")	28111
10×10 mm (3/8")	28112
12x12 mm (15/32")	28197
14x14x5 mm Mozzarella (9/16''x9/16''x3/16'')	28181
14x14x10mm (9/16"x9/16"x3/8")	28179
14×14 mm (9/16")	28113
20×20 mm (25/32")	28114
25×25 mm (1")	28115
2" Lettuce Cut	28180



FRENCH FRY EQUIPMENT	
8x8 mm (5/16" x 5/16")	28134
8x16 mm (5/16""x 5/8")	28159
10x10 mm (3/8"x 3/8")	28135
10x16 mm (3/8" x 5/8")	28158

Update: November 2014

### **ELECTRICAL DATA**

120V/60/1 - delivered with cord and plug.

